



LED Yard Light

YL01 Series

NAYAMO OPTO ELECTRONICS

Siege : Zone Industrielle Lot N°1 Ouled Salah Taher JIJEL

Bureau Alger : Bt A3 N°7 Cité des 170 Logements El Achour Tel/FAX : 023 07 39 33

Tel : 213 793 84 60 39 benazouz@nayamo-optoelectronics.com

Tel: 00 33 6 08548514 sur WHATSAP debbache@nayamo-optoelectronics.com

contact@nayamo-optoelectronics.com Email: WWW.nayamo-optoelectronics.com

YL01 LED Yard Light



Key Features

Energy saving, environmental friendly, No UV or IR radiation.

Anti-shock, anti-moisture, no glare, no strobe light.

High intensity and stability.

Using high quality LED chips.

Die-cast aluminum gasketed enclosure.


IP65 waterproof

5 years warranty

Application


Garden, factories, schools, parking lots, public parks etc.

Ordering Information




YL01 LED Yard Light

Dimension (unit: mm)



420mmX420mmX551mm

Photometry



YL01 LED Yard Light

Product Data

Model	SPS30-YL01	SPS50-YL01	SPS60-YL01	SPS80-YL01	SPS100-YL01
Wattage	30W	50W	60W	80W	100W
Lumen Output	4500lm	7500lm	9000lm	12000lm	15000lm
Luminous Efficacy	150lm/W ((170lm/W optional))				
Lens	Type II/Type III/Type V/60°/90°				
CCT	3000K/4000K/5000K/5700K/6500K				
CRI	Ra≥70				
Input Voltage	110-277 VAC,50/60Hz				
Housing Color	Dark grey				
Housing Material	Die-cast aluminum				
Operating Temperature	-35°C to +55°C				
IP Level	IP65				
Lifespan	100,000 hours				
Warranty	5 years				